

TOSHIBA



- > Black & White MFP
- > Up to 52 PPM
- > Small/Med. Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP



e-STUDIO™477sL/527s

**TOGETHER
INFORMATION**

TOSHIBA

Affordable, high-quality black and white.

The e-STUDIO477sL/527s from Toshiba offers fast, high-quality black and white output in a compact size and at a sensible price. Copy, print, scan and fax with the MFP that does it all, for less.

Your MFP has arrived.

Small and medium size businesses, from healthcare to education to finance, can now take advantage of everything Toshiba MFPs have to offer, in a surprisingly small package. The new e-STUDIO477sL/527s prints black and white at speeds of 47/52 PPM for A4 paper size. The series incorporates leading LED technology that reduces the overall size and simplifies the design. An e-BRIDGE Universal Print Driver, the single driver for all Toshiba e-BRIDGE series models, includes plugins for the simple addition of a variety of productivity enhancing options.

Compact, powerful and groundbreaking.

A long list of impressive features and benefits are available on the e-STUDIO477sL/527s. The e-BRIDGE technology provides consistency across our family of MFPs. After you've learned one, you can operate many. They all use the same operability, user interface, open platform connectors, cloud and mobile printing and scanning, and management utilities as the current e-BRIDGE lineup. The series features a small footprint so it's lightweight and also operates quietly. The black and white output is incredible, and incredibly fast. You'll also be impressed by the enhanced image quality and razor sharp text.

e-STUDIOTM477sL/527s



Leading innovation in high security.

Data has never been more secure. The e-STUDIO477sL/527s incorporates proprietary Toshiba technology in a number of ways to provide a level of data protection for IT equipment that sets a new standard.

Security matters.

Toshiba's e-STUDIO477sL/527s addresses the most stringent security requirements of the IEEE2600 standards for multifunction products. Our proprietary 320GB Self-Encrypting-Drive (SED) features Automatic Data Invalidation, virtually eliminating the possibility that data can be retrieved from the drive should it be removed and placed into another device. This Toshiba design utilizes the 256 Advanced Encryption Standard (AES). Even data being sent to or from the e-STUDIO477sL/527s can be encrypted using the optional IPsec Enabler.

Keeping your data safe.

Other MFP features help make sure you only share the information you want to share. The Secure PDF feature lets users scan and email documents at the MFP using a password so only those recipients who know the password can access the document.

Whatever your security concerns may be, with the Toshiba e-STUDIO527s series and the protection it affords, you can rest assured your documents are safe.

secureMFP™



Not only can you perform multiple functions with ease, everything you do is protected with advanced security measures.

Take advantage of scalable configurations. You can create a convenient desktop version. Or, add paper capacity and functionality as needed.

- > Self Encrypting Drive
- > IPsec Enabler (optional)
- > IP Filtering
- > Network Port Control
- > Secure PDF
- > Private Print





Exceptional features, starting with e-BRIDGE.

The outstanding performance of the e-STUDIO477sL/527s is due to advanced Toshiba e-BRIDGE technology. This series is available for small and medium businesses looking for fast, affordable black and white output and the ability to integrate workflow solutions into their MFP. The list of features is impressive, including Universal Print Drivers with plug-ins, web browsing and printing, open platform connectors and mobile printing.



Compact, lightweight, and packs a punch

This powerful, compact letter and legal size device saves space and money, offering one of the smallest footprints among comparable MFPs.



LED print head

An innovative LED light source for printing results in low noise, easy maintenance and a smaller, more compact size.



Impressive image quality

Get crisp 1200 x 1200 dpi output with rich blacks and a greater range of grayscale using a variety of media including 64-250GSM and A6 cards to 1,321mm banners.



High performance print engine

A technologically advanced, high performance print engine allows for a faster warm-up and First Copy Out Time. Not to mention an overall energy reduction to help the environment and your budget.



Easy to use

Now it's easier than ever to operate an MFP. Thanks, in part, to a 9-inch display consistent with other Toshiba devices, hard keys or buttons used for main functions, and an e-BRIDGE Open Platform for flexible integration.



Easy to maintain

Replacing supplies and performing routine maintenance are simple and can be performed by virtually anyone, reducing the need for a service call.



Plenty of options

Choose from a variety of options to take greater advantage of the e-STUDIO477sL/527s series. There's a space-saving Inner Finisher, 2,000-Sheet LCF up to 4-drawer configuration. Also, Job Point for cluster printing with up to 10 e-STUDIO models and Re-Rite for one-touch automatic OCR as well as a Fax Unit, Wireless LAN Module, and IPsec Enabler.



Managed Print Services

Look to our highly experienced Managed Print Experts to help you cut costs, streamline operations, control your output environment, secure documents, and reduce your environmental impact.



And that's not all

The list of outstanding features goes on and on. In fact, it goes something like this: Job Skip allows you to skip to the next job if one job runs out of paper or toner. Omit Blank Page removes all blank pages from all jobs. Outside Erase lets you copy or scan books and 3D objects with the RADF open. Envelope Printing can be done straight from the bypass. The One Touch Templates function automates complex or frequently repeated jobs. Standard Tandem Printing completes large jobs faster by dividing the work between two printers. And, e-Filing lets you print, edit and manage stored documents.

TOSHIBA

Technologically advanced, environmentally sound.



Toshiba began developing innovative ways to reduce environmental impact long before it became the popular thing to do. In addition to a smaller footprint with regard to size, the e-STUDIO477sL/527s also has a smaller ecological footprint.

Protecting precious resources in more ways.

While we're busy working to help save the environment, we're also helping you save money. The e-STUDIO527s series uses a mono component development method that eliminates waste material. An enhanced Sleep Mode has a 1.5 W power consumption to further reduce energy usage. Other ways in which Toshiba puts environmental responsibility into action include a recycling program, reduction of CO2 emissions, and the recycling of plastics. Reduction and elimination of hazardous materials such as lead and mercury enable the series to comply with environmental standards around the world. In addition, the series is Energy Star Tier 2 compliant.

Green Matters.

From our zero-waste-to-landfill toner recycling to greener manufacturing, Toshiba is a recognised environmental leader. We're investing in programs that help both our business and yours reduce, reuse and recycle.



The e-STUDIO477sL/527s has unique stacking drawers and spacers that allow you to configure your device to fit your specific needs. Put together a configuration that's just right for you by choosing from a countertop base model or up to three additional drawers and/or spacers along with a space-saving inner finisher*.

*Inner finisher for e-STUDIO527CS only.

**TOGETHER
INFORMATION**

Specifications

GENERAL

Type	Desktop
Maximum original paper size	Folio (Legal)
Print/copy speed (A4)	47/52 ppm
Paper input capacity (80g/m², A4)	Standard: 530 sheets (Drawer), 100 sheets (Stack Feed Bypass) Optional: 530 sheets (PFU) x 3, 2,000 sheets (LCF) Note: Paper input capacity depends on system configuration.
Paper size & weight	Drawers: A5 - Folio (Standard size), 148 x 210mm - 216 x 356mm (Custom size), 64 - 220g/m ² Stack Feed Bypass: A6 - Folio (Standard size), 64 x 127mm - 216 x 1,321mm (Custom/Banner size), 64 - 250g/m ² 160GB (Security HDD) Approx. 35 sec. Max. 1.5kW (220-240V)
Hard disk drive	
Warm-up time	
Power consumption	
Dimensions (W x D x H)	e-STUDIO4775L 522 x 604 x 675mm e-STUDIO5275 522 x 604 x 811mm
Weight	Approx. 47kg

COPYING FUNCTIONS

Original size	A6 - Folio
Copy size	Drawers: A5 - Folio, Custom size, SFB: A6 - Folio, Custom size
Resolution	Scanning: 600 x 600 dpi Printing: 600 x 600 dpi
Original scanning speed	52 spm
First copy time	8.0 sec.
Multiple copies	Up to 999 sheets
Original Mode	Text, Text/Photo, Photo
Reproduction Ratio	25% to 400% (1% Increment) (Glass) 25% to 200% (1% Increment) (Original on RADF)
Exposure control	Automatic/Manual (11 steps)
Major features	•2 in 1/4 in 1/8 in 1 (Duplex) •Annotation •X-Y Zoom •Trimming/Masking •Magazine Sort •Job Reservation •Job Build •Image Shift •Proof Copy •Image Adjustment •Background Adjustment •Sharpness Adjustment •Omit Blank Page •Original Outside Erase

PRINTING FUNCTIONS

Print engine resolution	Max. 600 x 600 dpi, 600 x 1,200 dpi (PS only)
Supported OS	Windows XP (32bit/64bit)/2003 server (32bit/64bit)/ Vista SP2 (32bit/64bit)/2008 server (32bit/64bit)/ Server 2008 R2(64bit)/7 (32bit/64bit)/8 (32bit/64bit) Server 2012(64bit) Mac OS X 10.4 or later UNIX (SUN Solaris 2.6, 2.7, 7.8, 8, 9, 10, HP-UX (10.20, 11x), IBM AIX (4.3.3), Linux, SCO) Standard: 10/100/1000baseT Option: IEEE802.11b/g/n (Wireless LAN module)
Interface	TCP/IP (IP v4/v6), IPX/SPX, EtherTalk, NetBIOS over TCP/IP
Network protocols	Windows Printing, LPR/LPD, IPP, NetWare P-SERVER, Apple Talk
Printing protocols	PAP or EtherTalk, Port 9100, WS Print, FTP PCL6 Emulation, PostScript3 Emulation, XPS
PDL	
Major features	•Scheduled Print •Private Print •Proof Print •Watermark Printing •N-up Printing •Magazine Sort •Image Overlay •Booklet Printing •Hold Print •Save to Box (e-filing) •Poster Print •USB direct printing

SCANNING FUNCTIONS

Scanning speed (A4)	B&W: 52 spm (all resolution) Colour: 40 spm (up to 300dpi), 25 spm (at 400/600dpi)
Scanning mode	Auto Colour, Full Colour, Grayscale, Black
File format	B&W: TIFF, PDF, XPS Grayscale/Colour: JPEG, TIFF, PDF, Slim PDF, XPS Auto Colour: TIFF, PDF, XPS 600/400/300/200/150/100 dpi
Scanning resolution	
Major features	•2-sided Scan •Image Rotation •Mixed Size Paper Scanning •Scan to Email •Scan to file (SMB, FTP, FTPS, IPX/SPX, NetWare over TCP/IP) •Scan to e-Filing •Scan to USB •Preview •WS Scan •Omit Blank Page •Original Outside Erase •Hold Print •Save to Box (e-filing) •Poster Print •USB direct printing

ELECTRONIC FILING FUNCTIONS

User box	200
Number of folders	100 folders per Box
Number of documents	400 documents per Box/Folder
Number of pages	200 pages per document
Input to box (Multi agent)	Copy & Box, Print & Box, Received Fax to file & Box, Received I-fax to File & Box (w/o Sub No.), Received Fax to Email & Box, Received Fax to Fax/I-fax relay & Box, Received I-fax to I-fax reply & Box, Fax to Mailbox & Box, Scan to file & Box, Scan to email & Box
Box N/W access applications	TWAIN driver, File Downloader

INTERNET-FAX/NETWORK-FAX FUNCTIONS

Compatibility	T.37 (Simple Mode)
Support OS (Network Fax Drivers)	Windows XP (32bit/64bit)/2003 server (32bit/64bit)/ Vista (32bit/64bit)/2008 server (32bit/64bit)/ Server 2008 R2(64bit)/7 (32bit/64bit)/8 (32bit/64bit) Server 2012 (64bit)

NETWORK/DEVICE MANAGEMENT UTILITY

• TopAccess • TopAccess DocMon • Address Book Viewer • e-BRIDGE Fleet Management System (Opt.)

REVERSING AUTOMATIC DOCUMENT FEEDER (STANDARD)

Compatibility	T.37 (Simple Mode)
Support OS (Network Fax Drivers)	Windows XP (32bit/64bit)/2003 server (32bit/64bit)/ Vista (32bit/64bit)/2008 server (32bit/64bit)/ Server 2008 R2(64bit)/7 (32bit/64bit)/8 (32bit/64bit) Server 2012 (64bit)

AUTOMATIC DUPLEXING UNIT (STANDARD)

Stack capacity	No limit (stackless type)
Paper size	A5-A4
Available original size & weight	64-220g/m ²

OPTIONS

Finisher MJ-1038 (e-STUDIO527s only)	
Paper Capacity (80g/m²)	Approx. 500 sheets (A4)
Staple Capacity (80g/m²)	50 sheets (A4) 30 sheets (FOLIO) STAPLE-2000
Staple	Single/front
Staple Position	Single/front
Dimensions (W x D x H) & Weight	386.7 x 565.5 x 214.8mm, Approx. 8.3kg Offline Stapler
Offline Staple MJ-1039	
Staple Capacity (80g/m²)	20 sheets
Staple	STAPLE-3700
Staple Position	Single/corner
Dimensions & Weight	Embedded in main unit
Paper Feed Unit MY-1045	
Paper supply (80g/m²)	Approx. 530 sheets
Paper size & weight	A5-A4 (64 - 220 g/m ²)
Dimensions (W x D x H)	522 x 485 x 136 mm
Weight	7.3kg
FAX Unit GD-1320	
Compatibility	Super G3, G3
Number of lines	1 line
Modem speed	Max. 33.6k bps
Data compression method	JBIG, MMR, MR, MH
Communication protocols	ITU-T T.30
Transmission speed	Approx. 3 seconds
Scanning mode	Text, Text/Photo, Photo (B&W only)
Gray scale	256 steps
Spacer GR-1160	
Caster GR-1170	
Desk MH-3400	
Large Capacity Feeder KD-1040	(2000 A4 sheets)
<ul style="list-style-type: none"> •Wireless LAN Module GN-1060 •Antenna GN-3010 •Data Overwrite Enabler GP-1070 •IPSec Enabler GP-1080 •Unicode Front Enabler GS-1007 •Meta Scan Enabler GS-1010 •External Interface Enabler GS-1020 •e-BRIDGE ID Gate KP-2004 for HID/KP-2005 for MIFARE •Harness Kit For Coin Controller GQ-1260 	

Software

e-BRIDGE Re-Rite™
e-BRIDGE Fleet Management System
e-BRIDGE Connector for Google™ Docs
e-BRIDGE Connector for Microsoft® SharePoint
e-BRIDGE Connector for HP TRIM software®
e-BRIDGE Connector for Microsoft® Exchange
e-BRIDGE Capture & Store Essentials edition
e-BRIDGE Accounts
e-BRIDGE Job Separator eX driver plugin
e-BRIDGE Job Build eX driver plugin
e-BRIDGE Replicator eX driver plugin
e-BRIDGE Job Point eX driver plugin
e-BRIDGE Mac Fax
e-BRIDGE PC Fax

ISO 9001 and ISO 14001 Certifications

These highly acclaimed certifications are recognised worldwide as measures of top quality and environmental management excellence. They are awarded to manufacturers for facilities and practices meeting strict standards set by the Geneva based International Standardization Organization. To date, four copier sales affiliates and all Toshiba TEC manufacturing facilities where copiers, accessories, supplies and parts are produced have received ISO 9001 certification, while four copier sales affiliate and all Toshiba TEC manufacturing facilities have received ISO 14001 certification — even more reasons to count on Toshiba.

Microsoft and Windows® are registered trademarks of Microsoft Corporation in the United States and/or other countries. Adobe® PostScript® Level 3™ is a registered trademark of Adobe Systems, Inc. Mac OS® is a registered trademark of Apple Inc. AirPrint and the AirPrint logo are trademarks of Apple Inc. Google Docs is a registered trademark of Google Inc. HP TRIM software™ is a registered trademark of Hewlett-Packard. All other brand and/or product names are trademarks of their respective owners.

This brochure was compiled based on information that was accurate prior to product launch. Product design and specifications are subject to change without notice. The colour(s) of the actual product may vary from the colour(s) shown in this brochure. No part of this material may be used or reproduced in any manner whatsoever without permission. *1GB = 1 billion bytes, the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed. Days for function availability may differ by region. "e-filing" is an abbreviation of "electronic filing". Warm-up time and print speed may vary depending on the operating environment. ©2014 TOSHIBA TEC CORPORATION All rights reserved.

*This is a Class 1 laser product complying with IEC60825-1.

As an ENERGY STAR Partner TOSHIBA TEC CORPORATION has determined that this multifunctional device model meets the ENERGY STAR guidelines for energy efficiency.

DISTRIBUTED BY

TOSHIBA

TOSHIBA (AUSTRALIA) PTY LIMITED
ABN 19 001 320 421
 Building C, 12-24 Talavera Road, North Ryde, NSW 2113
 Tel: (02) 9887-6000 Fax: (02) 9815-6274
New Zealand Office
 32 Lunn Avenue, Mt Wellington, Auckland, NZ
 Tel: (9) 570-8530 Fax: (9) 570-8930

toshiba-business.com.au
 toshiba-business.co.nz

