TOSHIBA

STUDIO2525AC STUDIO3025AC STUDIO3525AC STUDIO4525AC STUDIO5525AC STUDIO6525AC

Colour Multifunctional Devices

- Multifunctional A3 colour systems with an outstanding document output at a speed of up to 65 pages per minute.
- Large and fully customisable user interface for enhanced efficiency and tailored workflows.
- Easy integration into modern business environments, including cloud and mobile printing.





Cloud-ready and Secure

Today's new hybrid work environment has permanently changed demands on access to information: it must be available anywhere and anytime. Only then can organisations maintain maximum efficiency and productivity. Yet information also needs to be secure.

Toshiba's cloud-ready products and our team of experts provide the solutions you need to improve workflow and print with functionalities that are smarter and more convenient than ever before. We have implemented new features to increase productivity with the vision of Together Information – helping people and organisations share information more effectively through better products and solutions. In line with the needs of "new normal" workplaces, the series is equipped with functionality that enables non-contact and remote work.

Based on the latest technological advances and security standards, we deliver end-to-end tailored solutions to help you seamlessly and securely navigate today's digital workplace. In addition, our multifunctional device (MFD) systems meet the highest environmental requirements. From consulting, cloud migration and fleet management to implementation and technical support, Toshiba is at your side. Show your true colours: sharp, vibrant images in all hues can make your documents more beautiful and engaging. Toshiba's e-STUDIO6525Ac series delivers image quality that stands out. In addition, the multifunctional systems are equipped with advanced features that meet the most exacting needs of today's and tomorrow's workplaces.

- Advanced Toshiba e-BRIDGE Next controller technology for easy customisation of document workflows and integration into IT environments
- High-quality output with a resolution of up to 3,600 x 1,200 dpi
- Colour consistency across small and large print jobs

Smart and Smooth

The system features an intuitive 26 cm (10.1") tablet-style touch screen with an embedded web browser. It is easy to use and fully customisable, allowing you to conveniently tailor settings, automate workflows and integrate third-party solutions. In line with the bold new look and feel of the new e-STUDIO series, the user interface enables simple operation and improved efficiency.



Efficiency Your Way

Workgroups within small and medium-sized enterprises (SMEs) appreciate the easy integration of the e-STUDIO6525AC series into existing IT infrastructures. The systems are fully customisable and offer readily accessible solutions thanks to open platform architecture.

Designed for modern businesses, all systems are capable of cloud and mobile printing. AirPrint and Mopria Print Service support address the printing needs of mobile device users, while Wi-Fi direct simplifies access to the MFD. Toshiba's exclusive e-BRIDGE Print & Capture application enables additional printing features, and gives users the ability to scan documents back to their tablets or smartphones.

The e-STUDIO6525Ac series can be equipped with apps to enhance efficiency. When combined with our embedded optical character recognition (OCR) feature, scanned pages become documents that can be searched and edited with ease, particularly when output as Microsoft Word or other popular office formats.

Cloud solution and workflow apps

Seamlessly connect with your business platforms

- Find better ways of managing your compliance obligations.
- Introduce business efficiencies through simple workflows and automation.
- Handle hard copy documents with ease.
- Eliminate information security concerns with on-board direct-to-platform processing (no intermediate software or cloud services).

For more information go to www.toshiba-business.com.au/apps



Your partner in sustainability

Sustainability is a major focus for Toshiba and our customers. We make every effort to minimise the impact of our business on the environment, to conserve and protect the world's natural resources. This applies to every business process and product, including providing solutions that make our customers' operations more sustainable. Accordingly, the e-STUDIO6525Ac series MFDs have also been equipped with various environmentally friendly features:

- Low-power, super sleep mode to save money and reduce energy consumption
- Compliance with the latest, most stringent environmental requirements
- Usage of recycled plastics

Security meets convenience

As a leading provider of information technology, Toshiba has always placed top priority on protecting data. The e-STUDIO6525Ac series come with state-of-the-art security features, such as anti-malware function, secure Solid State Drive (SSD) and Trusted Platform Module (TPM) with encryption function. Optionally you can choose the FIPS HDD* with data overwrite function and HCD-PP ** certification. The systems are fully compliant with the EU General Data Protection Regulation (GDPR). Deploy all the security technologies offered to ensure your data is protected when using the MFD.

* Federal Information Processing Standards Hard Disk Drive
** Hard Copy Device – Protection Profile certification



Big Performance in a Compact Format

Toshiba's e-STUDIO6525Ac series systems offer a wide spectrum of functions in a surprisingly compact format, enabling you to integrate and simplify your workflows most efficiently.

Auto calibration ensures perfect image quality with consistent colours and crystal-clear lines from the first to the last page.

Image recovery menu provides customers with self-help guidance to solve image related problems within minutes should they occur.

RGB colour substitution gives you accurate colours with office applications so your documents are printed exactly the way you want.

Multi Station Print Solution allows you to send print jobs from your desktop and retrieve them at up to 50 different MFDs by authenticating at that device, e.g. simply swiping your badge.

Interrupt print job is one of the new convenient functions to make your job more efficient. Jump the queue for first priority prints.

Embedded optical character recognition (OCR) simplifies the creation of searchable PDFs and editable document formats such as Microsoft Word.

Scan to USB is great for working with documents on the go. You can even create PDF/A-2 files suitable for long-term archiving.


Scan and fax preview allows you to review, rotate and modify your scanned documents or incoming faxes before saving or printing them. **Barcode printing** lets you send print data from your ERP system directly to the MFD. The barcode sequence is automatically processed and printed without the need for additional middleware.

Print from USB for quick and easy printouts. If necessary, the MFD will automatically scale your documents to fit the available paper size.

E-mail direct printing can automatically print attached documents from e-mails sent to the MFD.

Remote assistance and diagnostics fit seamlessly into today's workstyles and helps keep your MFD running when your business needs it the most.

Configuration



** Not in combination with External LCF

Highlights

Mobile printing

Easily connect to these systems with your mobile devices via AirPrint, or the Mopria Print Service. You can unleash access to mobile print and scan features by adding the optional Wi-Fi module.

Choose your user experience

The large and fully customisable user interface makes the MFD intuitive to use. Simply swipe through the menu and select the feature or function you need and modify the screen to suit your individual preferences.

Dual Scan Document Feeder (DSDF) and Double Feed Detection

The DSDF option can hold up to 300 originals and processes 240 images per minute (ipm) by scanning both sides of the page in a single pass. With the addition of Double Feed Detection, you can ensure that no pages are missing after scanning.

Specifications

General

Print & Copy Speed	A4: 25/30/35/45/55/65 ppm A3: 15/16/18/22/27/30 ppm
Warm-up Time	~ 12 seconds from low power mode ⁽¹⁾ ~ 20 seconds from low power mode ⁽²⁾
Paper Size & Weight	Cassette 1: A5R-A3, 60-300 g/m ² Cassette 2: A5R-320 x 460 mm, 60-300 g/m ² Bypass: 100 x 148 mm-320 x 460 mm, 52-300 g/m ² , banner paper (up to 305 x 1,200 mm, 90-163 g/m ²)
Paper Capacity	Cassettes: 2x 550 sheets Bypass: 1x 100 sheets Max. 5,200 sheets
Inner Output Tray	400-sheet capacity
Automatic Duplex	A5R-305 x 457 mm, 60-256 g/m ²
Controller Type	Toshiba e-BRIDGE Next
Control Panel	26 cm (10.1") Multi-Touch Colour Panel
Storage/Memory	Security SSD 128 GB (max 640 GB with option) ^{(1),(3)} ; 4 GB RAM Security SSD 128 GB (max 640 GB with option) ^{(2),(3)} ; 6 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN* (IEEE802.11b/g/n), Bluetooth*, Wi-Fi Direct*
Dimension & Weight	For e-STUDIO2525ac/3025ac/3525ac: 585 x 641 x 787mm (W x D x H), ~77 kg For e-STUDIO4525ac: 585 x 641 x 787mm (W x D x H), ~78 kg For e-STUDI05525ac/6525ac:
	585 x 641 x 787mm (W x D x H), ~79 kg
Print	585 x 641 x 787mm (W x D x H), ~79 kg
Print Resolution	585 x 641 x 787mm (W x D x H), ~79 kg 600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only
	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi)
Resolution Page Description	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3,
Resolution Page Description Language	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3, JPEG Windows 11/10/8.1, Windows Server 2022/2019/2016/2012/2012R2, macOS 10.12-10.15/11/12, CUPS, Chrome OS, Linux/Unix,
Resolution Page Description Language Supported Systems	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3, JPEG Windows 11/10/8.1, Windows Server 2022/2019/2016/2012/2012R2, macOS 10.12-10.15/11/12, CUPS, Chrome OS, Linux/Unix, Citrix, SAP
Resolution Page Description Language Supported Systems Network Protocols	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3, JPEG Windows 11/10/8.1, Windows Server 2022/2019/2016/2012/2012R2, macOS 10.12-10.15/11/12, CUPS, Chrome OS, Linux/Unix, Citrix, SAP TCP/IP (IPv4/IPv6), NetBios over TCP/IP Auto-Colour (ACS), Colour, TWIN Colour,
Resolution Page Description Language Supported Systems Network Protocols Colour Modes	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3, JPEG Windows 11/10/8.1, Windows Server 2022/2019/2016/2012/2012R2, macOS 10.12-10.15/11/12, CUPS, Chrome OS, Linux/Unix, Citrix, SAP TCP/IP (IPv4/IPv6), NetBios over TCP/IP Auto-Colour (ACS), Colour, TWIN Colour, Monochrome ICC profile colour management, RGB substitution,
Resolution Page Description Language Supported Systems Network Protocols Colour Modes Colour Settings	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3, JPEG Windows 11/10/8.1, Windows Server 2022/2019/2016/2012/2012R2, macOS 10.12-10.15/11/12, CUPS, Chrome OS, Linux/Unix, Citrix, SAP TCP/IP (IPv4/IPv6), NetBios over TCP/IP Auto-Colour (ACS), Colour, TWIN Colour, Monochrome ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance e-BRIDGE Print & Capture, Mopria® Print Service,

Scan

System Features

Scan	
Resolution	Max. 600 x 600 dpi
Scan Speed	Reversing Automatic Document Feeder*: up to 73 ppm (300 dpi) in colour and monochrome Dual Scan Document Feeder*: up to 240ipm (300dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF and MS Office formats DOCX, XLSX, PPTX.
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, Local), Meta Scan*, OCR scan, Scan to Box (e-Filing), WIA, TWAIN
Сору	
Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 5 bit, equiv. 2,400 x 600 dpi with smoothing (monochrome only)
First Copy Output Time	Colour: ~ 7.8/7.8/7.8/5.7/5.6/5.6 seconds Monochrome: ~ 5.9/5.9/5.9/4.4/4.3/4.3 seconds
Zoom	Platen*:25-400%, RADF*/DSDF*:25-200%
Copy Modes	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
Copy Functions	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1/4-in-1 mode
Fax [*]	
Communication	Super G3, G3 - (opt. 2 nd line) Internet Fax T.37
Transmission Speed	~ 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 11/10/8.1, Windows Server 2022/2019/2016 (64bit)
Incoming Fax Routing	To shared folders (SMB, FTP), E-Mail, e-Filing
System & Security	
Device Management	Top Access for remote administration and configuration

e-Filing document server for secure storage, Document distribution and Print-on-Demand (on Document distribution and Print-on-Demand (on public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus and Ködo embedded apps

Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader⁺), Private Print, Standard data encryption with Security SSD, Data Overwrite function when optional HDD is chosen, IP and MAC address filter, Port Filter, Support of SSL and IPsec^{*} protocols, IEEE802.1 x support, CC certified (ISO/IEC15408) with HCD-PP v1.0^{*}, Scan to Secure DPE Pull print prating^{*} Accounting & Security Secure PDF, Pull-printing*

Options

REVERSING AUTOMATIC DOCUMENT FEEDER	100-sheet capacity, A5R-A3, 35-157 g/m²
DUAL SCAN DOCUMENT FEEDER WITH DOUBLE FEED DETECTION	300-sheet capacity, A5R-A3, 35-209 g/m ²
PAPER FEED PEDESTAL	550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-300 g/m²
DRAWER MODULE	For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-300 g/m²
ENVELOPE DRAWER	For Paper Feed Pedestal or 2 nd Cassette Envelopes: 50-envelope capacity (1 Cassette) 100 x 162mm - 240 x 380 mm, 60-85 g/m ² Paper: 550-sheet capacity, A5R-A4R, 60-300 g/m ²
LARGE CAPACITY FEEDER	2,000 sheets, A4, 60-300 g/m²
EXTERNAL LARGE CAPACITY FEEDER	2,000 sheets, A4, 60-300 g/m ²
INNER FINISHER ⁽¹⁾	2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m2 (stapling mode)
MULTI-STAPLE FINISHER	2 trays, 2,250-sheet capacity 65-sheet multi-position stapling A4R-A3, 60-105 g/m² (stapling mode)
SADDLE STITCH FINISHER	2 trays, 3,250-sheet capacity Saddle-stitched booklets of up to 60 pages 65-sheet multi-position stapling A4R-A3, 60-105 g/m² (stapling mode)
HOLE PUNCH UNIT	Available in 2 holes (E), 3 holes (N), 4 holes (F)

PLATEN COVER
DESK
HARD DISK DRIVE 320 GB ⁽³⁾ (FIPS 140-2 STANDARD)
SECURITY SOLID STATE DRIVE 512 GB ⁽³⁾
JOB SEPARATOR
WORKTRAY
USB HUB
ACCESSORY TRAY
PANEL TEN-KEY
FAX BOARD
WIRELESS LAN/BLUETOOTH MODULE (incl. Wi-Fi Direct)
ACCESSIBLEARM
IPsec ENABLER (LICENCE)

MULTI STATION PRINT ENABLER (LICENCE) META SCAN ENABLER (LICENCE) UNICODE FONT ENABLER (LICENCE) HARD COPY SECURITY KIT (LICENCE)



⁽¹⁾ For e-STUDIO2525Ac/3025Ac/3525Ac/4525Ac

- ⁽²⁾ For e-STUDIO5525ac/6525ac
- $^{(3)}$ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will
- also be less if software applications are pre-installed.

* Optional

About Toshiba

Toshiba (Australia) Pty Limited is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information. For more information please contact us:

TOSHIBA (Australia) Pty Limited

Building C, 12-24 Talavera Road, North Ryde. 2113. Australia **Tel:** 1300 794 202

New Zealand

32 Lunn Avenue, Mt Wellington **Tel:** 09 570 8530

www.toshiba-business.com.au www.toshiba-business.co.nz

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way .

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

For more information please visit www.toshiba-business.com.au

This Class 1 laser product complies with IEC60825-1. Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 g/m² if not otherwise mentioned.



Copyright ©2022 TAP_ES6525AC_Bro_V1_4