



- Black & White MFP
- Up to 25 PPM
- Small/Med. Workgroup
- Copy, Print, Scan, Fax
- Secure MFP
- EPEAT Registered



Exceed expectations in powerful ways.

The e-STUDIO257 series from Toshiba has been designed to bring small and medium workgroups the same power and performance typically reserved for larger businesses. It's easy to use, allowing you to create professional looking documents without extensive training or experience.

Expand your possibilities.

Toshiba has taken the performance and functionality of larger monochrome MFPs and designed a smaller, more compact version. Introducing the e-STUDIO257 series. In addition to copying, faxing, printing and colour scanning, it handles even the most challenging jobs quickly and easily. You'll be impressed with handy features like a walk-up USB printing port and a crisp 9" colour touch screen that gives you instant access to all sorts of other possibilities.



Get more done in less time with advantages like USB printing and paper that can be added midstream.

Less work and more flow.

Start with a 20-second warm-up and a first copy out time of 4.7 seconds. Output is produced at the speed that fits your needs – up to 25 pages per minute. Image quality is outstanding at 2,400 x 600 dpi. Need a lot of copies? You can opt for up to a 3,200-sheet capacity. And, its modular design allows you to get the most paper in the sizes you need, with a tandem LCF or 4-drawer configuration.



It's the business of helping businesses.

At Toshiba, we realize the challenges that businesses face every day. The new e-STUDIO257 series is the perfect solution for small to medium size businesses looking for a high quality, fully functional MFP to help them meet those challenges.

Relax and let technology handle it.

Because the e-STUDIO257 series has incorporated the latest e-BRIDGE technology, business applications and vendor solutions are easily integrated. With 320GB of safe and secure storage, frequently used documents can be stored right on the MFP by using the convenient e-Filing feature and then printed as needed. Settings such as finishing selections can be saved with a job or changed on the fly to ensure accurate reproduction every time.

User friendly and eager to please.

The e-STUDIO257 series can handle jobs with ease, even large volumes of various types of documents. Take advantage of rugged volume performance and a high yield toner. Also, there are several finisher options including a space saving 50-Sheet Inner Finisher or a Saddle-Stitch Finisher, plus 2/3-Hole Punch. You'll be impressed from start to finish.

- Superb Image Quality
- e-BRIDGE Technology
- Universal Print Driver
- Fast First Copy Out Times
- Up to 3,200 Capacity
- Service Module Design
- Saddle Stitch Finisher
- 2/3 Hole Punch





Small and compact yet feature rich.

The Toshiba e-STUDIO257 series has features and benefits galore. You'll be impressed to find so much in such a compact footprint.



Efficient printing

Choose your speed at 20, 25, or 30 pages per minute. Also, first copy out times are as fast as 4.7 seconds.



Broad paper handling

Use up to a 3,200-sheet paper capacity and up to 110 lb index. You can select from a variety of paper sizes with 4 drawers or a tandem LCF.



Ease of use

A large 9" tilting touch panel is easy to read and use. A context sensitive help button that will provide you with whatever instructions you might need. Scanning or printing can be done on the go using a convenient USB port.



Reliability

Take advantage of rugged performance and a high yield toner that can be changed on the fly. A compact service module design allows for surprisingly faster and easier periodic maintenance.



Connectivity and functionality

PCL6, PostScript3, and XPS as well as an Australian designed Universal Printer Driver means you only need one driver across your entire fleet.



Innovative technology

Gigabit Ethernet support, e-filing for frequently reprinted jobs and an automatic OCR option for expert scanning are just a few of our leading innovations.



Latest e-BRIDGE platform

Toshiba's proprietary platform improves connectivity, security and fleet management. Take advantage of access to third-party solutions like PaperCut and more.



Advanced finishing options

There is a convenient space saving 50-Sheet Inner Finisher, Saddle-Stitch Finisher and a 2/3-Hole Punch.



Expert security

A 320GB Self-Encrypting Drive (SED) with Automatic Data Invalidation and Data Overwrite come standard. Also, an IPsec option encrypts data, and Hard Copy Security prevents the copying of sensitive documents.



Environmentally responsible

The e-STUDIO257 series is RoHS Compliant, Energy Star Tier 2 rated and EPEAT Registered (as part of the definitive global registry for greener electronics).

TOSHIBA

Protection for your business and the planet.

As the need for tougher data security and improved environmental protection continue to increase, Toshiba is prepared to answer the call. Much of our R&D is spent in these areas. That's because your concerns are our concerns.



Data security and peace of mind.

Protecting your data means you're protecting your entire business. Fortunately, the e-STUDIO257 series has been designed to preserve the integrity and confidentiality of all your data. A new 320GB Self-Encrypting Drive (SED) with Data Overwrite are standard. An IPsec option to encrypt data being sent to or from the MFP, and Hard Copy Security are also available to keep your data right where it belongs.

Eco-consciousness.

At Toshiba, we realise we're responsible for helping our planet thrive. Whether it's our products, our company, or worthwhile environmental projects in your communities, we put green into action. The Toshiba e-STUDIO257 series has a low power sleep mode that meets the stringent requirements of Energy Star Tier 2. It is also RoHS compliant, and uses recycled plastics. Because of this and other eco-friendly features, the Toshiba e-STUDIO257 series is EPEAT Registered in the greener electronics global registry developed to help purchasers choose products that reduce environmental impact. Together we can reduce, reuse and recycle in meaningful ways.

There's a configuration that is just right for every business need. And all of them are secure and EPEAT Registered.



Specifications

General	
Copying Process	Indirect electrostatic photographic method
Copying Type	Laser beam printing (Memory copy standard)
Copy/Print Resolution	Scanning: 600 dpi x 600 dpi Printing: 2,400 x 600 dpi with smoothing
Copy/Print Speed	e-STUDIO256: 25 cpm/ppm
Max. Paper Capacity	3,200 sheets (80g/m ² , with optional LCF)
- Standard (1,200 sheets)	Drawer (550 sheets) x 2, Stack Feed Bypass (100 sheets)
- Optional	PPF (550 sheets) Drawer for PPF (550 sheets) Pedestal type LCF (2,000 sheets)
Max./Min. Paper Size	Drawer: A3/A5-R Stack Feed Bypass: A3/A5-R, Envelope (COM10, Monarch, DL, You-4, Chou-3) Optional LCF (Pedestal type): A4
Paper Weight	Drawer: 64 - 105 g/m ² Stack Feed Bypass (Multi-feed): 64 - 209 g/m ² Stack Feed Bypass (Single-feed): 52 - 209 g/m ² Optional LCF (Pedestal type): 64 - 105 g/m ²
Hard Disk Drive/Memory	320GB * Self Encrypting Drive (SED)/1GB
Warm-Up Time	Approx. 20 seconds
First Copy Out Time	e-STUDIO257: approx. 4.7 seconds
Duplex	Standard
Reduction/enlargement	25% to 400%
Power Consumption	Max. 1.5kW (220-240V), Super Sleep less than 1W
Dimensions	W575 x D586 x H756mm
Weight	e-STUDIO257: approx. 59kg
Printer/Scanner Kit	GM-2250
External Interface Enabler	GS-1020

Print Specifications	
Interface	Ethernet (10/100/1000BASE-T), USB 2.0/Hi Speed USB, Wireless LAN (option)
Printer Language	PCL5e/PCL6/PostScript3/PDF (emulation), XPS
Protocols	TCP/IP (v4/v6), IPX/SPX, NetBIOS, AppleTalk, EtherTalk, 9100 Raw Ports (16 configurable), LPR/LPD, IPP, WSPrint, FTP
Print Drivers	Universal, Postscript 3, XPS
Operating Systems	Windows Vista/7/8 (32/64 bit), Windows Server 2003/2008 (32/64 bit), Windows OS Terminal Edition, Citrix MetaFrame, UNIX, Linux, Solaris, HP-UX, SCO, AIX, CUPS, SAP® R3 (PCL), AS400 (WCO) MacOS 10.2.8/10.3.9/10.4.11/10.5.7/10.6.8/10.7

Scan Specifications	
Scan Resolution	100 dpi, 150 dpi, 200 dpi, 300 dpi, 400 dpi, 600 dpi
Scan Speed	57 spm (300 dpi, B/W), 43 spm (300 dpi, Colour)
File Format	TIFF, PDF, XPS, Slim PDF, Secure PDF, JPEG
Authentication	LDAP, SMTP, Windows Domain, MFP

Fax Specifications	
Compatibility	Super G3, G3
Modem Speed	Max. 33.6kbps
Data Compression Method	JBIG, MMR, MR, MH
Transmission Speed	Approx. 3 seconds per page
Memory Transmission	Max. 100 jobs 2,000 destinations, 400 destinations/job, Max. 1000 pages/file
Scan Speed	0.7 seconds per page (A4)
Desktop Fax	Windows Server 2003/2008/Vista/7/8 (32/64bit), Mac OS10.4 or later
Fax Routing	e-filing, Network Folder*, Email*, Searchable* * options required

e-Filing Specifications	
Operation Method	Colour touch control panel or client PC
Number of Boxes	1 public box, 200 private user boxes
Capacity of Boxes	100 folders per box, 400 documents per folder, 200 pages per document

Distributed by

Options	
RADF (Reversing Automatic Document Feeder) MR-3028	100 sheets/1,000 sheets with continue mode
Finisher MJ-1032 (Inner type)	
- Tray Capacity	Finishing Tray: Approx. 500 sheets (A4), approx. 250 sheets (A3) Stationary Tray: Approx. 100 sheets (A4), approx. 50 sheets (A3)
- Staple	3 postions, Max 50 sheets (A4), 30 sheets (A3)
Finisher MJ-1033 (console type)	
- Tray Capacity	1st bin : Approx. 1,000 sheets, approx. 500 sheets (A3)
- Staple 3 positions, Max	50 sheets, approx. 30 sheets (A3)
- Saddle stitch	A3, B4, A4-R
- Paper size	Up to 15 sheets
- Staple capacity	6 - 10 sheets copy : 15 sets
- Stack capacity	1 - 5 sheets copy : 20 sets, 11 - 15 sheets copy : 10 sets
Hole Punch Unit MJ-6007	for MJ-1032
Hole Punch Unit MJ-6008	for MJ-1033
Paper Feed Pedestal KD-1025	550 sheets, A3 - A5-R
Drawer Module MY-1033	550 sheets, A3 - A5-R
Large Capacity Feeder KD-1026A4	2,000 sheets Drawer, A4
Job Separator MJ-5004	for e-STUDIO257
Offset Tray MJ-5005	for e-STUDIO257
Bridge Kit KN-2520	
Staple Cartridge	STAPLE-600, STAPLE-2400
Platen Cover KA-1640PC	
Accessible Arm KK-2550	
Desk MH-2520	
Work Tray KK-4550	
Fax Unit GD-1350	
2nd Line for Fax Unit GD-1260	
Wireless LAN Module GN-1060	
Antenna for Wireless LAN Module GN-3010	
Data Overwrite Enabler GP-1070	
Meta Scan Enabler GS-1010	
External Interface Enabler GS-1020	
Unicode Font Enabler for Printing GS1007	
IPsec Enabler GP-1080	
Harness Kit for Coin Controller GQ-1180	
e-BRIDGE ID Gate KP-2004 (HID), KP-2005 (Mifare)	
e-BRIDGE Re-Rite GB1280V8	

Microsoft and Windows® are registered trademarks of Microsoft Corporation in the United States and/or other countries.
Adobe® PostScript® Level 3™ is a registered trademark of Adobe Systems, Inc.
Mac OS® is a registered trademark of Apple Inc.
All other brand and/or product names are trademarks of their respective owners.

All specifications relevant to paper capacity, productivity and others relating to paper refer to A4 size paper of 80g/m² quality if not otherwise mentioned.
This brochure was compiled based on information that was accurate prior to product launch. Product design and specifications are subject to change without notice. The colour(s) of the actual product may vary from the colour(s) shown in this brochure. No part of this material may be used or reproduced in any manner whatsoever without permission. * 1GB is equivalent to 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed. Days for function availability may differ by region. "e-filing" is an abbreviation of "electronic filing". Warm-up time and print speed may vary depending on the operating environment. ©2012 TOSHIBA TEC CORPORATION All rights reserved.

As an ENERGY STAR Partner TOSHIBA TEC CORPORATION has determined that this multifunctional device model meets the ENERGY STAR guidelines for energy efficiency.

TOSHIBA

TOSHIBA (AUSTRALIA) PTY LIMITED
ABN 19 001 320 421
 Building C, 12-24 Talavera Road, North Ryde, NSW 2113
 Tel: (02) 9887-6000 Fax: (02) 9815-6274
New Zealand Office
 58 Lunn Avenue, Mt Wellington, Auckland, NZ
 Tel: (9) 570-8530 Fax: (9) 570-8930
www.eid.toshiba.com.au
www.eid.toshiba.co.nz

